

Wire



Wire Contents

	PAGE
Estate Stockfence / Sheep Wire	246
Estate Barbed Wire	247
Estate Coil Wire	248
Estate Chainlink	248
Estate Deer Fence	248
Estate Horse Fence	248
Euro Stockfence / Sheepwire	249
Euro Forestry Fence	250
Euro Barbed Wire	250
Euro Coil Wire	250
Euro Chainlink Fencing	251
Wire Netting	252
Twilweld	252
Nylofor 3D Panels	253
Nylofor 2D Panels	254



Estate Stockfence / Sheep Wire

Estate Green Dragon High Tensile Stockfence

Code	Pattern	No. of Horizontal Wires	Roll Height (cm)	Between Vertical Wires (cm)	Roll Length (mtrs)	Rolls Per Pallet
32001215	5/53/15	5	53	15	100	12
32001505	8/80/15	8	80	15	100	12
32001545	8/80/30	8	80	30	100	16

Estate Green Dragon Medium Stockfence

Code	Pattern	No. of Horizontal Wires	Roll Height (Inches)	Between Vertical Wires (Inches)	Roll Length (mtrs)	Rolls Per Pallet
32000515	5/24/6	5	24"	6"	50	20
32000615	6/35/6	6	35"	6"	50	20
32000715	8/32/6	8	32"	6"	50	16

Estate Green Dragon Light Stockfence

Code	Pattern	No. of Horizontal Wires	Roll Height (Inches)	Between Vertical Wires (Inches)	Roll Length (mtrs)	Rolls Per Pallet
32000815	5/24/6	5	24"	6"	50	25
32000915	6/35/6	6	35"	6"	50	25

Estate Galvanised High Tensile Stockfence CW Gripples

Code	Pattern	No. of Horizontal Wires	Roll Height (cm)	Between Vertical Wires (cm)	Roll Length (mtrs)	Rolls Per Pallet
32001200	5/53/15	5	53	15	100	12
32001300	6/70/15	6	70	15	100	12
32001500	8/80/15	8	80	15	100	12
32001535	8/80/22	8	80	22	100	16
32001540	8/80/30	8	80	30	100	16

Estate Galvanised Medium Stockfence

Code	Pattern	No. of Horizontal Wires	Roll Height (Inches)	Between Vertical Wires (Inches)	Roll Length	Rolls Per Pallet
32000500	5/24/6	5	24"	6"	50 Yards	20
32000600	6/35/6	6	35"	6"	50 Yards	20
32000700	8/32/6	8	32"	6"	50 Yards	20
32000710	8/32/6	8	32"	6"	50 Mtrs	20

Estate Galvanised High Tensile Forestry Fence

Code	Pattern	No. of Horizontal Wires	Roll Height (cm)	Between Vertical Wires (cm)	Roll Length (mtrs)	Rolls Per Pallet
32001100	6/90/15	6	90	15	100	20



Estate Barbed Wire



Estate Green Dragon Barbed Wire

Code	Type	Wire Diameter (mm)	Between Barbs (mm)	Number of Barbs	Roll Length (mtrs)	Rolls Per Pallet
32000105	Mild Steel	2.5	100	4	200	48
32000210	Scorpio HT	2.0	100	4	200	48



Estate Galvanised Barbed Wire

Code	Type	Wire Diameter (mm)	Between Barbs (mm)	Number of Barbs	Roll Length (mtrs)	Rolls Per Pallet
32000100	Mild Steel	2.5	100	4	200	48
32000200	Scorpio HT	2	100	4	200	48
32000150	Lasso HT	1.6	100	4	200	60

Estate Coil Wire

Code	Type	Style	Wire Diameter (mm)	Coil Length (Mtr)	Coil Weight (Kg)	Rolls Per Pallet
32002010	Mild Steel	Galvanised	2.5	650	25	20
32002100	High Tensile	Green Dragon	2.5	650	25	20



Estate PVC Line & Tying Wire

Code	Type	Wire Diameter (mm)	Coil Weight (Kg)	Rolls Per Pallet
31550100	Line Wire	3.00/4.00	12.5Kg	20
31550200	Tying Wire		2.5Kg	20



Estate Galvansied Chainlink

Code	Mesh (mm)	Wire Size (mm)	Gauge	Roll Height	Roll Length Mtrs	Rolls Per Pallet
30950900	50	2.5	HG	2.4	25	12



Estate PVC Chainlink

Code	Mesh (mm)	Wire Size (mm)	Gauge	Roll Height	Roll Length Mtrs	Rolls Per Pallet
31000500	50	3.15/2.24	HG	2.4	25	9

Estate Deer Fence

Code	Pattern	No. of Horizontal Wires	Roll Height (cm)	Between Vertical Wires (cm)	Roll Length (Mtrs)	Rolls Per Pallet
30350050	13/190/15	13	190	15	100	9



Estate FX Horse Fence

Code	Pattern	No. of Horizontal Wires	Roll Height (cm)	Between Vertical Wires (cm)	Roll Length Mtrs
30450180	13/122/5	13	122	5	50
30450190	13/122/5	13	122	5	100
30450200	13/122/7.5	13	122	7.5	50
30450250	13/122/7.5	13	122	7.5	100



Euro Stockfence / Sheep Wire

Euro Green High Tensile Stockfence

Code	Pattern	No. of Horizontal Wires	Roll Height (Cm)	Between Vertical Wires (Cm)	Roll Length (Mtrs)	Rolls Per Pallet
30750325	8/80/15	8	80	15	100	12

Euro Green Medium Stockfence

Code	Pattern	No. of Horizontal Wires	Roll Height (Inches)	Between Vertical Wires (Inches)	Roll Length (Yards)	Rolls Per Pallet
30830105	5/24/6	5	24"	6"	50	20
30830205	6/35/6	6	35"	6"	50	20
30830305	8/32/6	8	32"	6"	50	16

Euro Galvanised High Tensile Stockfence

Code	Pattern	No. of Horizontal Wires	Roll Height (cm)	Between Vertical Wires (cm)	Roll Length (mtrs)	Rolls Per Pallet
30750100	5/53/15	5	53	15	100	16
30750300	8/80/15	8	80	15	100	12

Euro Galvanised Medium Stockfence

Code	Pattern	No. of Horizontal Wires	Roll Height (Inches)	Between Vertical Wires (Inches)	Roll Length (Yards)	Rolls Per Pallet
30830100	5/24/6	5	24"	6"	50	20
30830200	6/35/6	6	35"	6"	50	20
30830300	8/32/6	8	32"	6"	50	20
30830300	8/32/6	8	32"	6"	50Mtr	20

Euro Galvanised Light Stockfence

Code	Pattern	No. of Horizontal Wires	Roll Height (Inches)	Between Vertical Wires (Inches)	Roll Length (Yards)	Rolls Per Pallet
30800500	5/24/6	5	24"	6"	50	40
30800600	6/35/6	6	35"	6"	50	30
30800700	8/45/6	8	45"	6"	50	20



Euro Forestry Fence

Euro Galvanised Forestry Fence

Code	Pattern	No. of Horizontal Wires	Roll Height (cm)	Between Vertical Wires (cm)	Roll Length (mtrs)	Rolls Per Pallet
30750050	6/90/15	6	90	15	100	20

Euro Barbed

Euro Green Barbed Wire

Code	Type	Wire Diameter (mm)	Between Barbs (mm)	Number of Barbs	Roll Length (Mtrs)	Rolls Per Pallet
30250175	Mild Steel	2.5	100	4	200	48



Euro Galvanised Barbed Wire

Code	Type	Wire Diameter (mm)	Between Barbs (mm)	Number of Barbs	Roll Length (Mtrs)	Rolls Per Pallet
30250100	Mild Steel	2.5	100	4	180	48
30250150	Mild Steel	2.5	100	4	200	48
30200100	HT	1.6	75	4	200	80



Euro Coil Wire

Euro Coil Wire

Code	Type	Coating	Approx Size (mm)	Coil Length (Mtrs)	Roll Weight (Kg)	Rolls Per Pallet
31500105	Hgh Tensile	Green	2.50	650	25	20
31500100	High Tensile	Galv	2.50	650	25	20
31400100	Mild Steel	Galv	1.60	1580	2.5	100
31400200	Mild Steel	Galv	2.00	1010	2.5	100
31450100	Mild Steel	Galv	2.50	650	25	20
31450200	Mild Steel	Galv	3.15	405	25	20
31450300	Mild Steel	Galv	4.00	250	25	20



Euro Chainlink Fencing

The chainlink fencing, characterised by its diamond shaped mesh, is an economical solution that blends into all environments.

Euro Galvanised Chainlink Fencing

Code	Mesh (mm)	Wire Size (mm)	Gauge	Roll Height (mm)	Roll Length
30970100	50	2.00	LIGHT	900	25 YARDS
30970200	50	2.00	LIGHT	1200	25 YARDS
30970300	50	2.00	LIGHT	1500	25 YARDS
30970400	50	2.00	LIGHT	1800	25 YARDS
30971000	50	2.50	HEAVY	1200	25 MTRS
30971050	50	2.50	HEAVY	1500	25 MTRS
30971100	50	2.50	HEAVY	1800	25 MTRS



Euro PVC Chainlink Fencing


Code	Mesh (mm)	Wire Size (mm)	Gauge	Roll Height (mm)	Roll Length Mtrs
31105100	50	1.80 – 2.70	LIGHT	900	25
31105200	50	1.80 – 2.70	LIGHT	1200	25
31105300	50	1.80 – 2.70	LIGHT	1500	25
31105400	50	1.80 – 2.70	LIGHT	1800	25
31103200	50	2.00 – 3.00	HEAVY	1200	25
31103300	50	2.00 – 3.00	HEAVY	1500	25
31103400	50	2.00 – 3.00	HEAVY	1800	25



Wire Netting

Wire Netting

Code	Mesh (mm)	Height (mm)	Roll Length (yards)
31700200	13	600	25
31700300	13	900	25
31750100	25	600	50
31750400	25	900	50
31750800	25	1200	50
31750300	50	600	50
37150600	50	900	50
31751000	50	1200	50
31751300	50	1500	50
31751600	50	1800	50



Wire Netting

Code	Mesh (mm)	Height (mm)	Roll Length (mtrs)
31650100	13	600	10
31650400	13	900	10
31650200	25	600	10
31650500	25	900	10
31650650	25	1200	10
31650300	50	600	10
31650600	50	900	10
31650700	50	1200	10



Twilweld

Galvansied Twilweld

Code	Mesh	Gauge	Height (mm)	Length Mtrs
31600048	6/6	20G	900	6
31600050	6/6	20G	900	30
31600100	13/13	19G	900	6
31600200	13/13	19G	900	30
31620300	25/25	20G	900	30
31600500	25/25	16G	900	6
31600600	25/25	16G	900	30
31620350	25/25	20G	1200	30
31601000	25/25	16G	1200	30
31601010	50/50	16G	1200	30
31600700	50/50	16G	900	6
31600800	50/50	16G	900	30
31601025	50/50	12G	1200	25

PVC Twilweld

31619809	25/38	1.6 / 2.2	900	6
31619810	25/38	1.6 / 2.2	900	30
31620100	40/25	2.5/2.0	900	30

Nylofor 3D Pro XL Panels Fencing Panels (3.00mtr Lengths)

FENCE PANEL	FENCE POST TO SUIT	CORNER POST TO SUIT	FIXINGS REQUIRED PER POST
1.23MTR X 3.00MTR 33000025	1.70MTR 33000125	1.70MTR 33000225	2 x Unifix 2 x Profile
1.73MTR X 3.00MTR 33000050	2.40MTR 33000150	2.40MTR 33000250	3 x Unifix 2 x Profile
1.9MTR X 3.00MTR 33000075	2.70MTR 33000175	2.70MTR 33000275	4 x Unifix 2 x Profile
2.43MTR X 3.00MTR 33000100	3.10MTR 33000200	3.10MTR 33000300	5 x Unifix 2 x Profile



Unifix Code : 33000325
Profile Code : 33000350



*All fixings also supplied

Benefits

Cost effective

3-M panels provide competitive price levels whilst retaining maximum performance, quality and rigidity.

PVC coating ensures long lifetime

Coating technology of Betafence is state of the art and assures an extra long life. A special layer is applied over the galvanised substrate to ensure total adhesion of the PVC coating.

Faster installation

Due to 3 meter wide panels, the fence is very fast to install.

High rigidity

Heavy welded mesh panels with rectangular meshes and horizontal beams guarantee a high level of rigidity.

Nylofor 2D Super Fencing Panels (2.50mtr Lengths)

FENCE PANEL	FENCE POST TO SUIT	CORNER POST TO SUIT	UNIFIX FIXING
1.23Mtr 33000400	1.7Mtr 33000125	1.7Mtr 33000225	4 Per Post 33000325
1.80Mtr 33000405	2.4Mtr 33000150	2.4Mtr 33000250	5 Per Post 33000325
2.00Mtr 33000575	2.7Mtr 33000175	2.7Mtr 33000275	6 Per Post 33000325
2.43Mtr 33000415	3.1Mtr 3300200	3.1Mtr 33000300	7 Per Post 33000325



Benefits

Complete System

The system consists of panels in various heights , posts with a specific fixing system and a wide assortment of innovative swing and sliding gates.

Fast installation

All components have been specially developed to provide a professional product of high quality that can be installed efficiently and rapidly.

Rigidity

Panels are extremely rigid due to the use of heavy welded mesh in conjunction with double horizontal wires. 2D Super has extra heavy vertical and double horizontal wires.

Wire Tools




Hayes Wire Strainer H300
HWSH300



**Gripple Tool
& 50 Medium Gripples**
30850212



**Rapido Grippers for
Field Fence** PACK QTY 20
30850100



**Interference Spinning
Jenny on Spike**
ISJ