


Steel



Steel Contents


	PAGE		PAGE
Mild Steel Flat	258	Mild Steel IPE	263
Mild Steel Angle	259	Universal Column	263
Mild Steel Channel	260	Galvanised Pipe	264
Mild Steel Square	260	Self Colour Pipe	264
Mild Steel Round	260	Square Hollow Section	265-266
Mild Steel Tee	260	Rectangular Hollow Section	265-266
High Tensile Steel	260	Circular Hollow Section	267
Mild Steel Plate	261	Aluminium Chequer Plate	267
Mild Steel Chequer Plate	261	Fabric Reinforcing Mesh	267
Galvanised Flat Sheet	261	Expanded Metal	267
Cold Reduced Sheet	261	Weldmesh	268
Galvanised Flat Coil	261	Floor Grating	268
Galvanised Circular Feeder	261	Corrugated Iron	269
Universal Beam	262		



Mild Steel Flat (4.1mtr Lengths)

THICKNESS (t) mm

WIDTH (w) mm	THICKNESS (t) mm	
	3	5
13	F133L 1.353Kg	F135L 2.09Kg
16		F165L 2.583Kg
20	F203L 2.01Kg	
25	F253L 3.895Kg	
30	F303L 5.125Kg	
40	F403L 2.09Kg	
50	F503L 2.583Kg	




Mild Steel Flat (6.1mtr Lengths)

THICKNESS (t) mm

WIDTH (w) mm	THICKNESS (t) mm								
	5	6	8	10	12	15	20	25	30
20	F205L 4.819Kg	F206L 5.73Kg	F208L 7.69Kg	F2010L 9.58Kg	F2012L 11.47Kg				
25	F255L 5.978Kg	F256L 7.2Kg	F258L 9.58Kg	F2510L 11.96Kg	F2512L 14.396Kg				
30	F305L 7.198Kg	F306L 8.6Kg	F308L 11.47Kg	F3010L 14.4Kg	F3012L 17.263Kg	F3015L 21.53Kg	F3020L 28.73Kg		
40	F405L 9.577Kg	F406L 11.47Kg	F408L 15.31Kg	F4010L 19.15Kg	F4012L 23Kg	F4015L 28.73Kg	F4020L 38.31Kg		
50	F505L 11.96Kg	F506L 14.4Kg	F508L 19.15Kg	F5010L 23.97Kg	F5012L 28.79Kg	F5015L 35.93Kg	F5020L 47.89Kg	F5025L 59.84Kg	F5030L 71.86Kg
60		F606L 17.26Kg	F608L 22.997Kg	F6010L 28.73Kg	F6012L 34.47Kg	F6015L 43.13Kg	F6020L 57.46Kg		
65		F656L 18.67Kg	F658L 24.89Kg	F6510L 31.17Kg	F6512L 37.33Kg	F6515L 46.67Kg	F6520L 62.281Kg		
70	F705L 16.84Kg								
75		F756L 21.66Kg	F758L 28.73Kg	F7510L 35.93Kg	F7512L 43.01Kg	F7515L 53.99Kg	F7520L 72.04Kg	F7525L 89.73Kg	
80	F805L 19.15Kg	F806L 22.94Kg	F808L 30.62Kg	F8010L 38.31Kg	F8012L 45.994Kg	F8015L 57.46Kg	F8020L 76.62Kg	F8025L 95.83Kg	
90				F9010L 43.13Kg	F9012L 51.73Kg				
100	F1005L 23.97Kg	F1006L 28.73Kg	F1008L 38.31Kg	F10010L 47.89Kg	F10012L 57.46Kg	F10015L 71.86Kg	F10020L 95.89Kg	F10025L 119.74Kg	
110		F1106L 31.6Kg	F1108L 42.15Kg	F11010L 52.7Kg	F11012L 63.501Kg	F11015L 79.00Kg	F11020L 105.35Kg		
120		F1206L 34.53Kg	F1208L 45.99Kg	F12010L 57.462Kg	F12012L 68.99Kg		F12020L 114.92Kg		
130		F1306L 37.33Kg	F1308L 49.78Kg	F13010L 62.28Kg	F13012L 74.73Kg	F13015L 93.39Kg	F13020L 124.5Kg	F13025L 155.61Kg	
150		F1506L 43.25Kg	F1508L 57.46Kg	F15010L 71.86Kg	F15012L 86.19Kg	F15015L 107.73Kg	F15020L 143.66Kg	F15025L 179.58Kg	
180				F18010L 86.19Kg	F18012L 103.46Kg	F18015L 129.44Kg	F18020L 172.39Kg		
200		F2006L 57.46Kg	F2008L 76.8Kg	F20010L 95.71Kg	F20012L 114.92Kg	F20015L 143.66Kg	F20020L 191.6Kg	F20025L 239.43Kg	F20030L 287.37Kg
220						F22015L 158.05Kg	F22020L 210.69Kg		
250		F2506L 71.86Kg	F2508L 95.7Kg	F25010L 119.5Kg	F25012L 143.66Kg	F25015L 179.584Kg	F25020L 239.425Kg	F25025L 299.266Kg	
300		F3006L 86.19Kg	F3008L 114.92Kg	F30010L 143.66Kg	F30012L 172.39Kg	F30015L 215.51Kg	F30020L 287.62Kg	F30025L 359.17Kg	
350				F35010L 167.63Kg	F35012L 201.3Kg	F35015L 251.38Kg	F35020L 359.16Kg	F35025L 419.01Kg	
400				F40010L 191.6Kg	F40012L 229.85Kg	F40015L 287.25Kg	F40020L 383.141Kg	F40025L 478.911Kg	
450				F45010L 215.33Kg	F45012L 258.58Kg	F45015L 323.24Kg	F45020L 430.96Kg	F45025L 538.69Kg	

Mild Steel Equal Angle (6.1mtr Lengths)

		THICKNESS (t) mm						
SIZE (a x b) mm		3	4	5	6	8	10	12
20x20	A203L							
	5.37Kg							
25x25	A253L			A255L				
	6.83Kg			10.86Kg				
30x30	A303L			A305L				
	8.3Kg			13.3Kg				
40x40	A403L	A404L	A405L	A406L				
	11.22Kg	14.76Kg	18.12Kg	21.47Kg				
50x50	A503L		A505L	A506L	A508L			
	14.21Kg		23Kg	27.27Kg	35.5Kg			
60x60				A606L	A608L			
				33.06Kg	43.25Kg			
70x70				A706L	A708L			
				38.92Kg	51Kg			
80x80				A806L	A808L	A8010L		
				44.77Kg	58.74Kg	72.59Kg		
90x90				A906L	A908L			
				50.63Kg	66.49Kg			
100x100					A1008L	A10010L	A10012L	
					74.42Kg	91.5Kg	108.58Kg	
120x120						A12010L		
						111.02Kg		
150x150						A15010L	A15012L	
						140.3Kg	166.53Kg	



Mild Steel Equal Angle (12.2mtr Lengths)

		THICKNESS (t) mm					
SIZE (a x b) mm		5	6	7	8	10	12
	50x50	A505L122	A506L122				
		46Kg	54.54Kg				
	70x70		A706L122	A707L122	A708L122		
			77.84Kg	93.82Kg	102Kg		
	80x80		A806L122		A808L122	A8010L122	
			89.54Kg		117.5Kg	145.18Kg	
	90x90					A9010L122	
						163.48Kg	
	100x100				A1008L122	A10010L122	
				148.84Kg	183Kg		
120x120				A1208L122	A12010L122	A1212L122	
				179.34Kg	222.04Kg	263.52Kg	
150x150					A15010L122	A15012L122	
					280.6Kg	333.06Kg	

Mild Steel Unequal Angle (6.1mtr Lengths)

		THICKNESS (t) mm				
SIZE (a x b) mm		5	6	7	8	10
60x40	A60405L					
	23Kg					
75x50		A75506L				
		34.47Kg				
100x50		A100506L				
		41.79Kg				
100x65			A100657L			
			53.5Kg			
100x75				A100758L	A1007510L	
				64.66Kg	79.3Kg	
125x75				A125758L	A1257510L	
				74.42Kg	91.5Kg	
150x75					A1507510L	
					103.7Kg	
150x90					A1509010L	
					111.02Kg	


Mild Steel Unequal Angle (12.2mtr Lengths)

		THICKNESS (t) mm		
SIZE (a x b) mm		8	10	12
100x75	A100758L122	A1007510L122	A1007512L122	
	129.3Kg	158.6Kg	187.88Kg	
125x75	A125758L122	A1257510L122		
	148.84Kg	183Kg		
150x75		A1507510L122	A1507512L122	
		207.4Kg	246.44Kg	
150x90		A1509010L122	A1509012L122	
		222.04Kg	263.52Kg	
200x100		A20010010L122	A20010012L122	
		280.6Kg	333.06Kg	



Mild Steel Channel Iron

SIZE	LENGTH MTR	
	6.1	12.2
40x20	C4020L	
	17.51Kg	
50x25	C5025L	
	23.55Kg	
50x38	C5038L	
	34.1Kg	
76x38	C7638L	C7638L122
	40.87Kg	81.74Kg
100x50	C10251L	C10251L122
	62.22Kg	124.44Kg
125x65	C12764L	C12764L122
	90.28Kg	180.56Kg
150x75	C15276L	C15276L122
	109.19Kg	218.38Kg
150x90		C15090L122
		291.58Kg
180x75	C18075L	C18075L122
	123.83Kg	247.66Kg
180x90		C18090L122
		318.42Kg
200x75	C20075L	C20075L122
	142.74Kg	285.48
200x90		C20090L122
		362.34Kg
230x75		C23075L122
		313.54Kg
230x90		C23090L122
		392.84Kg
260x75		C26075L122
		336.72Kg
260x90		C26090L122
		424.56Kg
300x90		C30090L122
		505.08Kg



Mild Steel Square Iron

SIZE	LENGTH MTR	
	6.1	
8mm	S8L	
	3.1Kg	
10mm	S10L	
	4.82Kg	
12mm	S12L	
	6.89Kg	
16mm	S16L	
	12.26Kg	
20mm	S20L	
	19.15Kg	
25mm	S25L	
	29.95Kg	
30mm	S30L	
	43.13Kg	
40mm	S40L	
	76.86Kg	
50mm	S50L	
	119.68Kg	



Mild Steel Round Iron



SIZE	LENGTH MTR	
	6.1	
6mm	R6L	
	1.34Kg	
8mm	R8L	
	2.38Kg	
10mm	R10L	
	3.78Kg	
12mm	R12L	
	5.43Kg	
16mm	R16L	
	9.64Kg	
18mm	R18L	
	12.511Kg	
20mm	R20L	
	15.07Kg	
25mm	R25L	
	23.49Kg	
30mm	R30L	
	33.86Kg	
32mm	R32L	
	38.49Kg	
40mm	R40L	
	60.15Kg	
50mm	R50L	
	94Kg	

MS Tee Iron

SIZE	LENGTH MTR	
	6.1	
40x40x5.0mm	T405L	
	18.06Kg	
50x50x5.0mm	T505L	
	23Kg	



High Tensile Steel

SIZE	LENGTH MTR	
	6.1	
10mm	HT10L	
	3.78Kg	
12mm	HT12L	
	5.43Kg	
16mm	HT16L	
	9.64Kg	
20mm	HT20L	
	15.07Kg	



Mild Steel Plate

		PLATE SIZE mm				
PLATE THICKNESS mm		2000X1000	2500X1250	3000X1500	3660X1830	4000X2000
			HR2516E			
1.6			39.25Kg			
2		HR2020E	HR2520E	HR3020E		
		31.4Kg	49.06Kg	70.65Kg		
2.5		HR2025E	HR2525E	HR3025E		
		39.25Kg	61.33Kg	88.31Kg		
3		SP203E	SP253E	SP303E	SP3661833E	
		47.1Kg	73.59Kg	105.98Kg	157.73Kg	
4		SP204E	SP254E	SP304E	SP3661834E	
		62.8Kg	98.13Kg	141.3Kg	210.31Kg	
5		SP205E	SP255E	SP305E	SP3661835E	
		78.5Kg	122.66Kg	176.63Kg	262.89Kg	
6		SP206E	SP256E	SP306E		SP406E
		94.2Kg	147.19Kg	211.95Kg		376.8Kg
8		SP208E	SP258E	SP308E		SP408E
		125.6Kg	196.25Kg	282.6Kg		502.4Kg
10		SP2010E	SP2510E	SP3010E		SP4010E
		157Kg	245.31Kg	353.25Kg		628Kg
12		SP2012E	SP2512E	SP3012E		SP4012E
		188.4Kg	294.375Kg	423.9Kg		753.6Kg
15			SP2515E	SP3015E		SP4015E
			367.97Kg	529.88Kg		942Kg
20			SP2520E	SP3020E		SP4020E
			490.63Kg	706.5Kg		1256Kg
25			SP2525E	SP3025E		
			613.28Kg	883.13Kg		
30			SP2530E	SP3030E		
			735.94Kg	1059.8Kg		

Mild Steel Plate S355

		PLATE SIZE mm	
PLATE THICKNESS mm		3000X1500	
		SP305ES355	
5		176.63Kg	
6		SP306ES355	
		211.95Kg	
8		SP308ES355	
		282.6Kg	
10		SP3010ES355	
		353.25Kg	
12		SP3012ES355	
		423.9Kg	
15		SP3015ES355	
		529.88Kg	

Mild Steel Chequer Plate

		PLATE SIZE mm		
PLATE THICKNESS mm		2000X1000	2500X1250	3000X1500
		CP203E	CP253E	CP303E
3.0		52.38Kg	81.84Kg	117.86Kg
4.5		CP205E	CP255E	CP305E
		75.94Kg	118.66Kg	170.87Kg
6.0		CP206E	CP256E	CP306E
		99.48Kg	155.44Kg	223.83Kg
8.0			CP258E	CP308E
			201.25Kg	289.8Kg
10			CP2510E	CP3010E
			250.56Kg	360.45Kg
12.5			CP25125E	CP30125E
			311.56Kg	453.2Kg

Galvanised Flat Sheet

		PLATE SIZE mm		
PLATE THICKNESS mm		2000X1000	2500X1250	3000x1500
		FG2006E	FG2506E	
0.6		9.42Kg	14.72Kg	
0.8		FG2008E	FG2508E	FG3008E
		12.56Kg	19.63Kg	28.26Kg
1		FG2010E	FG2510E	FG3010E
		15.7Kg	24.53Kg	35.33Kg
1.2		FG2012E	FG2512E	FG3012E
		18.84Kg	29.44Kg	42.39Kg
1.5		FG2015E	FG2515E	FG3015E
		23.55Kg	36.8Kg	52.99Kg
2		FG2020E	FG2520E	FG3020E
		31.4Kg	49.06Kg	70.65Kg
3		FG2030E	FG2530E	FG3030E
		47.1Kg	73.59Kg	105.975Kg

Cold Reduced Sheet

		PLATE SIZE mm	
PLATE THICKNESS mm		2500x1250	
		CR42508E	
0.8		19.63Kg	
1.0		CR42510E	
		24.53Kg	
1.2		CR42512E	
		29.44Kg	
1.5		CR42515E	
		36.8Kg	
2.0		CR4252E	
		49.06Kg	
3.0		CR4253E	
		73.59Kg	

Galv. Flat Coil Tonne

CODE	SIZE mm
GFC1508E	1500 X0.8MM
GFC1510E	1500 X1.0MM

Galv. Circular Feeder Sheet

CODE	SIZE mm
GLVFEED	11'X2' GALV.

Universal Beam

SIZE	LENGTH				
	10.1	12.2	14.1	15.3	15.5
127x76x13		UB1277613L122		UB1277613L153	UB1277613L155
		158.6Kg		198.9Kg	201.5Kg
152x89x16		UB1528916L122		UB1528916L153	UB1528916L155
		195.2Kg		244.8Kg	248Kg
178x102x19		UB17810219L122	UB17810219L141	UB17810219L153	UB17810219L155
		231.8Kg	267.9Kg	290.7Kg	294.5Kg
203x102x23.1		UB20310223L122	UB20310223L141	UB20310223L153	
		281.82Kg	325.71Kg	353.43Kg	
203x133x25.1	UB20313325L101	UB20313325L122	UB20313325L141	UB20313325L153	
	253.51Kg	306.22Kg	353.91Kg	384.03Kg	
203x133x30	UB20313330L101	UB20313330L122	UB20313330L141	UB20313330L153	
	303Kg	366Kg	423Kg	459Kg	
254x102x22		UB25410222L122		UB25410222L153	
		268.4Kg		336.6Kg	
254x102x28.3		UB254102283L122	UB254102283L141	UB254102283L153	
		345.26Kg	399.03Kg	432.99Kg	
254x146x31.1	UB25414631L101	UB25414631L122	UB25414631L141	UB25414631L153	
	314.11Kg	379.42Kg	438.51Kg	475.83Kg	
254x146x37	UB25414637L101	UB25414637L122	UB25414637L141	UB25414637L153	
	373.7Kg	451.4Kg	521.7Kg	566.1Kg	
254x146x43		UB25414643L122		UB25414643L153	
		524.6Kg		657.9Kg	
305x102x24.8		UB30510225L122		UB30510225L153	
		302.56Kg		379.44Kg	
305x102x28.2		UB30510228L122		UB30510228L153	
		344.04Kg		431.46Kg	
305x102x32.8		UB30510233L122		UB30510233L153	
		400.16Kg		501.84Kg	
305x127x37		UB30512737L122		UB30512737L153	
		451.4Kg		566.1Kg	
305x127x41.9		UB30512742L122		UB30512742L153	
		511.18Kg		641.07Kg	
305x127x48.1		UB30512748L122		UB30512748L153	
		586.82Kg		735.93Kg	
305x165x40.3		UB30516540L122	UB30516540L141	UB30516540L153	
		491.66Kg	568.23Kg	616.59Kg	
305x165x46.1		UB30516546L122	UB30516546L141	UB30516546L153	
		562.42Kg	650.01Kg	705.33Kg	
305x165x54		UB30516554L122	UB30516554L141	UB30516554L153	
		658.8Kg	761.4Kg	826.2Kg	

SIZE	LENGTH	
	12.2	15.3
356x171x45	UB35617145L122	UB35617145L153
	549Kg	688.5Kg
356x171x51	UB35617151L122	UB35617151L153
	622.2Kg	780.3Kg
356x171x57	UB35617157L122	UB35617157L153
	695.4Kg	872.1Kg
356x171x67	UB35617167L122	UB35617167L153
	817.4Kg	1025.1Kg
406x140x39	UB40614039L122	UB40614039L153
	475.8Kg	596.7Kg
406x140x46	UB40614046L122	UB40614046L153
	561.2Kg	703.8Kg
406x178x54.1	UB40617854L122	UB40617854L153
	660.02Kg	827.73Kg
406x178x60.1	UB40617860L122	UB40617860L153
	733.22Kg	919.53Kg
406x178x67	UB40617867L122	UB40617867L153
	817.4Kg	1025.1Kg
406x178x74.2	UB40617874L122	UB40617874L153
	905.24Kg	1135.26Kg
457x152x52.3	UB45715252L122	UB45715252L153
	638.06Kg	800.19Kg
457x152x60.1	UB45715260L122	UB45715260L153
	733.22Kg	919.53Kg
457x152x67.2	UB45715267L122	UB45715267L153
	819.84Kg	1028.16Kg
457x191x67.1	UB45719167L122	UB45719167L153
	818.62Kg	1026.63Kg
457x191x74.3	UB45719174L122	UB45719174L153
	906.46Kg	1136.79Kg
457x191x82	UB45719182L122	UB45719182L153
	1000.4Kg	1254.6Kg
533x210x82.2	UB53321082L122	UB53321082L153
	1002.84Kg	1257.7Kg
533x210x92.1	UB53321092L122	UB53321092L153
	1123.6Kg	1409.1Kg
610x229x101.2	UB610101L122	UB610101L153
	1234.64Kg	1548.36Kg
610x229x113		UB610113L153
		1728.9Kg

Universal Beam Shot Blasted and Primed
&
Galvanised Coating Available on Request.



Mild Steel IPE

SIZE	LENGTH						
	8.1	10.1	11.1	12.2	13.1	14.1	15.3
100x55x8.1				IPE100L122			
				98.82Kg			
140x73x12.9				IPE140L122			
				157.38Kg			
160x82x15.8			IPE160L111	IPE160L122		IPE160L141	IPE160L153
			175.38Kg	192.76Kg		222.78Kg	241.74Kg
180x91x18.8			IPE180L111	IPE180L122		IPE180L141	IPE180L153
			208.68Kg	229.36Kg		265.08Kg	287.64Kg
200x100x22.4	IPE200L81	IPE200L101	IPE200L111	IPE200L122	IPE200L131	IPE200L141	IPE200L153
	181.44Kg	226.24Kg	248.64Kg	273.28Kg	293.44Kg	315.84Kg	342.72Kg
220x110x26.2				IPE220L122		IPE220L141	IPE220L153
				319.64Kg		369.42Kg	400.86Kg
240x120x30.7				IPE240L122			
				374.54Kg			



IPE and Universal Column Shot Blasted and Primed
&
Galvanised Coating Available on Request.

Universal Column

CODE	DIMENSIONS			
	10.1	12.2	14.1	15.3
152x152x23		UC15215223L122	UC15215223L141	UC15215223L153
		280.6Kg	324.3Kg	351.9Kg
152x152x30		UC15215230L122		UC15215230L153
		366Kg		459Kg
152x152x37		UC15215237L122		UC15215237L153
		451.4Kg		566.1Kg
203x203x46.1	UC20320346L101	UC20320346L122	UC20320346L141	UC20320346L153
	465.61Kg	562.42Kg	650.01Kg	705.33Kg
203x203x52		UC20320352L122		UC20320352L153
		634.4Kg		795.6Kg
203x203x60		UC20320360L122		UC20320360L153
		732Kg		918Kg
203x203x71		UC20320371L122		UC20320371L153
		866.2Kg		1086.3Kg
203x203x86.1				UC20320386L153
				1317.33Kg
254x254x73.1		UC25425473L122		UC25425473L153
		891.82Kg		1118.43Kg
254x254x88.9		UC25425489L122		UC25425489L153
		1084.58Kg		1360.2Kg
254x254x107.1		UC254107L122		UC254107L153
		1306.6Kg		1638.6Kg
305x305x96.9		UC30530597L122		UC30530597L153
		1182.18Kg		1482.57Kg
305x305x118		UC305118L122		UC305118L153
		1439.6Kg		1805.4Kg



Light Galvanised Pipe

SIZE	LENGTH
	6mtr
20mm 26.9od x 2.3mm	LGP20 8.28Kg
25mm 33.7od x 2.5mm	LGP25 11.88Kg
32mm 42.4od x 2.5mm	LGP32 15.24Kg
40mm 48.3od x 2.5mm	LGP40 16.92Kg

Medium Galvanised Pipe

SIZE	LENGTH			
	4.25mtr	4.55mtr	5mtr	6mtr
15mm 21.3od x 2.6mm				MGP15 7.26Kg
20mm 26.9od x 2.6mm				MGP20 9.36Kg
25mm 33.7od x 3.2mm				MGP25 14.46Kg
32mm 42.4od x 3.2mm				MGP32 18.6Kg
40mm 48.3od x 3.2mm			MGP4050	MGP40 21.42Kg
50mm 60.3od x 3.6mm	MGP50425 21.378Kg	MGP50455 22.887Kg	MGP5050 25.15Kg	MGP50 30.18Kg
65mm 76.1od x 3.6mm			MGP6550 32.15Kg	MGP65 38.58Kg
80mm 88.9od x 4.0mm			MGP8050 41.85Kg	MGP80 50.22Kg
100mm 114.3od x 4.5mm			MGP10050 61Kg	MGP100 73.2Kg
125mm 139.7od x 5.0mm				MGP125 99.6Kg
125mm 139.7od x 5.0mm				MGP150 118.2Kg




Self Colour Pipe

SIZE	LENGTH
	6mtr
15mm 21.3od x 2.6mm	SCP15 7.26Kg
20mm 26.9od x 2.6mm	SCP20 9.36Kg
25mm 33.7od x 3.2mm	SCP25 14.46Kg
32mm 42.4od x 3.2mm	SCP32 18.6Kg
40mm 48.3od x 3.2mm	SCP40 21.42Kg
40mm 48.3od x 4.0mm	SCP4040L65 26.28Kg
50mm 60.3od x 3.6mm	SCP50 30.18Kg
65mm 76.1od x 3.6mm	SCP65 38.58Kg
80mm 88.9od x 4.0mm	SCP80 50.22Kg
100mm 114.3od x 4.5mm	SCP100 73.2Kg

Square Hollow Section (7.5mtr Lengths)

SIZE (a) mm	THICKNESS (t) mm						
	2.0mm	2.5mm	3.0mm	4.0mm	5.0mm	6.0mm	8.0mm
20x20	HS20 8.4Kg						
25x25	HS25 10.73Kg	HS252525 13.05Kg	HS252530 15.3Kg				
30x30	HS303020 13.13Kg	HS30 16.05Kg	HS303030 18.83Kg				
40x40	HS404020 17.85Kg	HS40 21.9Kg	HS404030 25.88Kg	HS404040 33.45Kg	HS404050L75 41.81Kg		
50x50	HS505020 22.26Kg	HS50 27.83Kg	HS505030 32.93Kg	HS505040 42.9Kg	HS505050 52.28Kg		
60x60	HS606020 26.74Kg		HS60 40.05Kg	HS606040 50.33Kg	HS606050 64.05Kg		
70x70			HS70 47.1Kg	HS707040 61.13Kg	HS707050 75.75Kg		
80x80			HS80 54.15Kg	HS808040L75 71.1Kg	HS808050 87.75Kg	HS808060 104.25Kg	
90x90			HS909030 61.2Kg	HS909040 80.25Kg	HS909050 99.75Kg		
100x100			HS10010030 67.73Kg	HS100 90Kg	HS10010050 111Kg	HS10010060 132.23Kg	HS10010080 171.75Kg
120x120					HS12012050 135Kg		
150x150					HS15015050 170.25Kg	HS15015060 212.25Kg	
200x200							HS20020080 360Kg




Square Hollow Section (12.0mtr Lengths)

SIZE (a) mm	THICKNESS (t) mm		
	3.0mm	4.0mm	5.0mm
80x80	HS80L12 86.64Kg		
100x100		HS100L12 144Kg	
120x120			HS12012050L12 216Kg


Rectangular Hollow Section (7.5mtr Lengths)

SIZE (a) mm	THICKNESS (t) mm						
	2.0mm	2.5mm	3.0mm	3.6mm	4.0mm	5.0mm	6.0mm
40x20		HS402025 12.95Kg	HS402030 15.54Kg				
50x25	HS502520 16.32Kg	HS5025 20.4Kg	HS502530 24.15Kg				
50x30		HS503025 21.9Kg	HS503030 25.88Kg				
60x40	HS604020 21.95Kg		HS604030 32.93Kg		HS604040L75 42.9Kg		
80x40			HS8040 40.05Kg		HS804040 52.28Kg	HS804050 64.05Kg	
100x50			HS10050 50.625Kg		HS1005040L75 66.45Kg	HS1005050 81.75Kg	HS1005060 97.35Kg
120x60				HS1206036 72.9Kg		HS1206050 99.75Kg	
120x80						HS1208050 111Kg	
150x100						HS15010050 140.25Kg	HS15010060L 168Kg
160x80						HS1608050 135Kg	
200x100						HS20010050 170.3Kg	HS20010060 202.5Kg
250x150							HS25015060L75 268.5Kg




Square Hollow Section S355J2H (12.0mtr Lengths)

		THICKNESS (t) mm			
		5.0mm	6.0mm	8.0mm	10.0mm
SIZE (a) mm	80x80		HS808060L12 165.6Kg		
	100x100		HS10010060L12 211.2Kg	HS10010080L12 274.8Kg	
	120x120		HS12012060L12 254.87Kg	HS12012080L12 334.8Kg	
	150x150	HS15015050L12 272.4Kg	HS15015060L12 324Kg	HS15015080L12 424.8Kg	
	180x180			HS18018080L12 516Kg	HS18018010L12 636Kg
	200x200		HS20020060L12 445.08Kg	HS20020080L12 576Kg	HS20020010L12 711.6Kg



Rectangular Hollow Section S355J2H (12.0mtr Lengths)

		THICKNESS (t) mm			
		5.0mm	6.0mm	8.0mm	10.0mm
SIZE (a) mm	150x100		HS15010060L12 268.8Kg		
	200x100	HS20010050L12 272.48Kg	HS20010060L12 324Kg	HS20010080L12 424.8Kg	HS20010010L12 523.2Kg
	200x150		HS20015060L12 380.28Kg	HS20015080L12 500.4Kg	HS20015010L12 616.8Kg
	250x150		HS25015060L12 429.6Kg	HS25015080L12 576Kg	HS25015010L12 711.6Kg



Square Hollow Section Galvanised (7.5 Metre Lengths)



		THICKNESS (t) mm			
		2.5mm	3.0mm	4.0mm	5.0mm
SIZE (a) mm	25x25	HS252525GALV 13.05Kg	HS252530GALV 15.3Kg		
	30x30	HS3030GALV 16.05Kg	HS303030GALV 18.83Kg		
	40x40	HS4040GALV 21.9Kg	HS404030GALV 25.88Kg	HS404050GALV 33.45Kg	
	50x50	HS5050GALV 27.83Kg	HS505030GALV 32.93Kg		HS505050GALV 52.28Kg
	60x60		HS6060GALV 40.05Kg		
	70x70		HS7070GALV 47.1Kg		HS707050GALV 75.75Kg
	80x80		HS8080GALV 54.15Kg		HS808050GALV 87.75Kg
	90x90				
	100x100			HS100100GALV 90Kg	HS10010050GALV 111Kg

Rectangular Hollow Section Galvanised (7.5Mtr Lengths)

		THICKNESS (t) mm	
		2.5mm	3.0mm
SIZE (a) mm	50x25	HS5025GALV 20.4Kg	
	80x40		HS8040GALV 40.05Kg
	100x50		HS10050GALV 50.625Kg

Circular Hollow Section (7.5mtr Lengths)

SIZE (a) mm	THICKNESS (t) mm					
	2.0mm	2.5mm	3.0mm	3.5mm	4.0mm	5.0mm
21.3od	BMP1525 8.7Kg					
26.9od	BMP20 9.22Kg	BMP2025 11.33Kg				
33.7od	BMP2520 11.7Kg	BMP25 14.44Kg	BMP2530 17.03Kg			
42.4od		BMP32 18.47Kg	BMP3230 21.83Kg			
48.3od		BMP4025 21.15Kg	BMP40 25.2Kg			
60.3od			BMP50 31.8Kg	BMP5035 36.75Kg	BMP5040 41.625Kg	
76.1od			BMP65 40.65Kg			BMP6550 65.78Kg
80.9od			BMP80 47.7Kg			BMP8050 77.685Kg
101.3od			BMP90 54.75Kg			
114.3od			BMP100 61.8Kg			BMP10050 101.25Kg
139.7od			BMP125 75.94Kg			BMP12550 124.5Kg
168.3od					BMP15040 121.73Kg	BMP150 150.75Kg



Fabric Reinforcing Mesh

TYPE	CODE / WEIGHT
A142 6mm	FMA142 25.57Kg
A252 8mm	FMA252 45.5Kg
A393 10mm	FMA393 70.96Kg

Aluminium Chequer Plate


SIZE	DIMENSIONS/THICKNESS		
	2.0mm	3.0mm	4.5mm
8x4	ALCP8420 16.9Kg	ALCP8430 25.34Kg	ALCP8445 39Kg
10x5	ALCP10520 26.46Kg	ALCP10530 39.67Kg	ALCP10545 62.1Kg

Expanded Metal

TYPE	CODE / WEIGHT
2073F 8' x 4'	EXM2073F 25.6Kg
2496 8' x 4'	EXM2496 27.4Kg

Plain Weldmesh

SIZE	GAUGE/ CODE / WEIGHT			
	6g	8g	10g	12g
6' x 3'				PW631112
1" x 1"				4.91Kg
6' x 3'		PW632208	PW632210	
2" x 2"		6.49Kg	4Kg	
8' x 4'		PW841108	PW841110	PW841112
1" x 1"		19.45Kg	13.98Kg	8.73Kg
8' x 4'		PW842108	PW842110	PW842112
2" x 1"		17.68Kg	10.54Kg	8.06Kg
8' x 4'	PW842206	PW842208	PW842210	
2" x 2"	16.35Kg	11.54Kg	7.1Kg	
8' x 4'	PW843306	PW843308		
3" x 3"	11.07Kg	7.81Kg		
8' x 4'				PW844112
4" x 1"				5.5Kg
10' x 5'			PW1052210	
2" x 2"			11.09Kg	




Galvanised Weldmesh

SIZE	GAUGE/ CODE / WEIGHT			
	6g	8g	10g	12g
6' x 3'				GW631112
1" x 1"				5.25Kg
6' x 3'		GW632208	GW632210	
2" x 2"		7.1Kg	4.28Kg	
8' x 4'		GW841108	GW841110	GW841112
1" x 1"		20.81Kg	14.96Kg	9.34Kg
8' x 4'	GW842206	GW842208	GW842210	
2" x 2"	17.49Kg	12.35Kg	7.6Kg	
8' x 4'	GW843306	GW843308		
3" x 3"	11.85Kg	8.39Kg		
10' x 5'			GW1052210	
2" x 2"			11.87Kg	

FLOOR GRATING PLAIN TOP

CODE	DESCRIPTION
FGG253	GALVANISED 25X3 (6MTR)
FGG303	GALVANISED 30X3 (6MTR)
FGG255	GALVANISED 25X5 (6MTR)
FGG305	GALVANISED 30X5 (6MTR)
FGG405	GALVANISED 40X5 (6MTR)
FGSC253	SELF COLOUR 25X3 (6MTR)
FGSC303	SELF COLOUR 30X3 (6MTR)
FGSC255	SELF COLOUR 25X5 (6MTR)
FGSC305	SELF COLOUR 30X5 (6MTR)
FGSC405	SELF COLOUR 40X5 (6MTR)
FGC	FLOOR GRATING CLIPS




VITAGRID FLOOR GRATING

CODE	DESCRIPTION
VGG253	GALVANISED 25X3MM
VGG2545	GALVANISED 25X4.5MM
VGG3045	GALVANISED 30X4.5MM
VGG4045	GALVANISED 40X4.5MM
VGSC253	SELF COLOUR 25X3MM
VGSC2545	SELF COLOUR 25X4.5MM
VGSC3045	SELF COLOUR 30X4.5MM
VGSC4045	SELF COLOUR 40X4.5MM

SERRATED FLOOR GRATING

CODE	DIMENSIONS
SFGG253	GALV 25X3 (6MTR)
SFGG255	GALV 25X5 (6MTR)
SFGG303	GALV 30X3 (6MTR)
SFGG305	GALV 30X5 (6MTR)
SFGG405	GALV 40X5 (6MTR)
SFGSC253	SELF-COLOUR 25X3 (6MTR)
SFGSC255	SELF-COLOUR 25X5 (6MTR)
SFGSC303	SELF-COLOUR 30X3 (6MTR)
SFGSC305	SELF-COLOUR 30X5 (6MTR)
SFGSC405	SELF-COLOUR 40X5 (6MTR)





Corrugated Iron

		THICKNESS / GAUGE		
		0.5mm 8 / 3	0.55mm 10 / 3	0.70mm 10 / 3
LENGTH (ft)	6'	GALVV24836F	GALVV241036F	GALVV221036F
	7'	GALVV24837FT	GALVV241037F	GALVV221037F
	8'	GALVV24838F	GALVV241038F	GALVV221038F
	9'	GALVV24839F	GALVV241039F	GALVV221039F
	10'	GALVV248310F	GALVV2410310F	GALVV2210310F
	11'	GALVV248311F	GALVV2410311F	GALVV2210311F
	12'	GALVV248312F	GALVV2410312F	GALVV2210312F
Other Sizes available on request				